

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	storage and(program adj file) same content same select\$4 and 709/2\$\$\$.ccls.	USPAT	OR	ON	2006/09/15 17:15
L2	1	storage and(program adj file) same content same select\$4 same comment and content	USPAT	OR	ON	2006/09/15 17:16
L3	9	storage and(program adj file) same content and re\$1name and (file adj creat\$4)	USPAT	OR	ON	2006/09/15 17:16
L4	7	@ad<"20001127" and (program adj file) same content and re\$1name and (file adj creat\$4)	USPAT	OR	ON	2006/09/15 17:20
L5	82	HASEGAWA-YUTAKA.in.	USPAT	OR	ON	2006/09/15 17:21
L6	82	HASEGAWA-YUTAKA.in. and 5	USPAT	OR	ON	2006/09/15 17:21
L7	0	HASEGAWA-YUTAKA.in. and 4	USPAT	OR	ON	2006/09/15 17:22
L8	0	NAKAMURA-AKITOSHI.in. and 4	USPAT	OR	ON	2006/09/15 17:22
L9	0	YAMAHA-CORPORATION .as. and 4	USPAT	OR	ON	2006/09/15 17:22
S500	205	storage and(program adj file) same content	USPAT	OR	ON	2006/02/05 16:00
S501	0	storage and(program adj file) same content and 709/ccls.	USPAT	OR	ON	2005/01/08 15:58
S502	37	storage and(program adj file) same content and 709/2\$\$\$.ccls.	USPAT	OR	ON	2005/01/08 15:58
S503	0	storage and(program adj file) same content and 709/2\$\$\$.ccls. same select\$4	USPAT	OR	ON	2005/01/08 15:59
S504	47	storage and(program adj file) same content same select\$4	USPAT	OR	ON	2005/01/08 15:59
S505	0	storage and(program adj file) same content same (select\$4 adj information)	USPAT	OR	ON	2005/01/08 16:00
S506	0	storage and(program adj file) same content same select\$4 and "709"". 2"\$\$\$.ccls.	USPAT	OR	ON	2005/01/08 16:00
S507	8	storage and(program adj file) same content same select\$4 and 709/2\$\$\$.ccls.	USPAT	OR	ON	2005/01/08 16:00
S508	0	storage and(program adj file) same content same select\$4 and 709/2\$\$\$.ccls. same section	USPAT	OR	ON	2005/01/08 16:00
S509	6	storage and(program adj file) same content same select\$4 and 709/2\$\$\$.ccls. and section	USPAT	OR	ON	2005/01/08 16:09

EAST Search History

S51 0	6	storage and(program adj file) same content same select\$4 and 709/2\$\$ccls. and section	USPAT	OR	ON	2005/07/21 11:41
S51 1	1	("5926624").PN.	USPAT	OR	OFF	2005/07/21 11:40
S51 2	0	storage and(program adj file) same content same select\$4 and 709/2\$\$ccls. and section and comment	USPAT	OR	ON	2005/07/21 11:41
S51 3	0	storage and(program adj file) same content same select\$4 and 709/2\$\$ccls. and comment	USPAT	OR	ON	2005/07/21 11:42
S51 4	5	storage and(program adj file) same content same select\$4 and comment	USPAT	OR	ON	2005/07/21 11:42
S51 5	0	storage and(program adj file) same content same select\$4 and (user adj comment)	USPAT	OR	ON	2005/07/21 11:42
S51 6	1	storage and(program adj file) same content same select\$4 same comment	USPAT	OR	ON	2005/07/21 11:44
S51 7	1	storage and(program adj file) same content same select\$4 same comment and content	USPAT	OR	ON	2005/07/21 11:44
S51 8	0	storage and(program adj file) same content same select\$4 and 709/2\$\$ccls. same section	USPAT	OR	ON	2005/07/21 13:23
S51 9	1	storage and(program adj file) same content same select\$4 same comment	USPAT	OR	ON	2005/07/21 13:23
S52 0	47	storage and(program adj file) same content same select\$4	USPAT	OR	ON	2005/07/21 13:23
S52 1	6	storage and(program adj file) same content same select\$4 and 709/2\$\$ccls. and section	USPAT	OR	ON	2005/07/21 13:23
S52 2	5	storage and(program adj file) same content same select\$4 and comment	USPAT	OR	ON	2005/07/21 13:23
S52 3	5	storage and(program adj file) same content same select\$4 and comment	USPAT	OR	ON	2005/07/21 13:23
S52 4	1	storage and(program adj file) same content same select\$4 same comment	USPAT	OR	ON	2005/07/21 13:23
S52 5	8	storage and(program adj file) same content same select\$4 and 709/2\$\$ccls.	USPAT	OR	ON	2005/07/21 13:24

EAST Search History

S52 6	47	storage and(program adj file) same content same select\$4	USPAT	OR	ON	2005/07/21 13:24
S52 7	5	storage and(program adj file) same content same select\$4 and comment	USPAT	OR	ON	2005/07/21 13:24
S52 8	0	("5794217" "5926624" "6018765" "6065056" "6256554" "6434621" "6560651").PN.).PN.	USPAT	OR	OFF	2006/01/26 11:24
S52 9	7	("5794217" "5926624" "6018765" "6065056" "6256554" "6434621" "6560651").PN.	USPAT	OR	OFF	2006/01/26 16:02
S53 0	47	(illuminat\$4 adj signal) same cable	USPAT	OR	OFF	2006/01/26 16:09
S53 1	0	(illuminat\$4 adj signal) same (first and second near computer)	USPAT	OR	ON	2006/01/26 16:10
S53 2	8	(illuminat\$4 adj signal) same (first and second same computer)	USPAT	OR	ON	2006/01/26 16:32
S53 3	0	(illuminat\$4 adj signal) same (first and second same computer) same cable	USPAT	OR	ON	2006/01/26 16:10
S53 4	1	(illuminat\$4 adj signal) same (first and second same computer) and cable	USPAT	OR	ON	2006/01/26 16:10
S53 5	1	(illuminat\$4 adj signal) same (first and second same computer) and cable	USPAT	OR	ON	2006/01/26 16:33
S53 6	30	(illuminat\$4 adj signal) same computers and cable	USPAT	OR	ON	2006/01/26 16:36
S53 7	7	(illuminat\$4 adj signal) same computers same cable	USPAT	OR	ON	2006/01/26 16:33
S53 8	0	storage and(program adj file) same content same re\$1name same (file adj creat\$4)	USPAT	OR	ON	2006/02/05 16:01
S53 9	0	storage and(program adj file) same content and re\$1name same (file adj creat\$4)	USPAT	OR	ON	2006/02/05 16:01
S54 0	9	storage and(program adj file) same content and re\$1name and (file adj creat\$4)	USPAT	OR	ON	2006/02/05 16:02
S54 1	7	@ad<"20001127" and storage and(program adj file) same content and re\$1name and (file adj creat\$4)	USPAT	OR	ON	2006/02/05 16:04
S54 2	7	@ad<"20001127" and (program adj file) same content and re\$1name and (file adj creat\$4)	USPAT	OR	ON	2006/02/05 16:04


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

(program file) and content and rename and create


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [program file](#) and [content](#) and [rename](#) and [create](#)

Found 90,939 of 185,178

Sort results by

relevance


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results

expanded form


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [A coherent distributed file cache with directory write-behind](#)



Timothy Mann, Andrew Birrell, Andy Hisgen, Charles Jerian, Garret Swart

 May 1994 **ACM Transactions on Computer Systems (TOCS)**, Volume 12 Issue 2

Publisher: ACM Press

Full text available: pdf(3.21 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Extensive caching is a key feature of the Echo distributed file system. Echo client machines maintain coherent caches of file and directory data and properties, with write-behind (delayed write-back) of all cached information. Echo specifies ordering constraints on this write-behind, enabling applications to store and maintain consistent data structures in the file system even when crashes or network faults prevent some writes from being completed. In this paper we describe ...

Keywords: coherence, file caching, write-behind

2 [Draft Proposed: American National Standard—Graphical Kernel System](#)



Technical Committee X3H3 - Computer Graphics

 February 1984 **ACM SIGGRAPH Computer Graphics**, Volume 18 Issue SI

Publisher: ACM Press

Full text available: pdf(16.07 MB)

 Additional Information: [full citation](#)

3 [Link-time binary rewriting techniques for program compaction](#)



Bjorn De Sutter, Bruno De Bus, Koen De Bosschere

 September 2005 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 27 Issue 5

Publisher: ACM Press

Full text available: pdf(1.37 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Small program size is an important requirement for embedded systems with limited amounts of memory. We describe how link-time compaction through binary rewriting can achieve code size reductions of up to 62&percent; for statically bound languages such as C, C++, and Fortran, without compromising on performance. We demonstrate how the limited amount of information about a program at link time can be exploited to overcome overhead resulting from separate compilation. This is done with sc ...

Keywords: Program representation, binary rewriting, code abstraction, compaction, interprocedural analysis, linker, whole-program optimization

4 Status report of the graphic standards planning committee



Computer Graphics staff

August 1979 **ACM SIGGRAPH Computer Graphics**, Volume 13 Issue 3

Publisher: ACM Press

Full text available: [pdf\(15.01 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#)

5 Fortran 8X draft



Loren P. Meissner

December 1989 **ACM SIGPLAN Fortran Forum**, Volume 8 Issue 4

Publisher: ACM Press

Full text available: [pdf\(21.36 MB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Standard Programming Language Fortran. This standard specifies the form and establishes the interpretation of programs expressed in the Fortran language. It consists of the specification of the language Fortran. No subsets are specified in this standard. The previous standard, commonly known as "FORTRAN 77", is entirely contained within this standard, known as "Fortran 8x". Therefore, any standard-conforming FORTRAN 77 program is standard conforming under this standard. New features can b ...

6 Rooms: the use of multiple virtual workspaces to reduce space contention in a window-based graphical user interface



D. Austin Henderson, Stuart Card

July 1986 **ACM Transactions on Graphics (TOG)**, Volume 5 Issue 3

Publisher: ACM Press

Full text available: [pdf\(4.58 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A key constraint on the effectiveness of window-based human-computer interfaces is that the display screen is too small for many applications. This results in "window thrashing," in which the user must expend considerable effort to keep desired windows visible. Rooms is a window manager that overcomes small screen size by exploiting the statistics of window access, dividing the user's workspace into a suite of virtual workspaces with transitions among them. Mech ...

7 Status report of the graphic standards planning committee of ACM/SIGGRAPH:



State-of-the-art of graphic software packages

Computer Graphics staff

September 1977 **ACM SIGGRAPH Computer Graphics**, Volume 11 Issue 3

Publisher: ACM Press

Full text available: [pdf\(9.03 MB\)](#) Additional Information: [full citation](#), [references](#)

8 A fast file system for UNIX



Marshall K. McKusick, William N. Joy, Samuel J. Leffler, Robert S. Fabry

August 1984 **ACM Transactions on Computer Systems (TOCS)**, Volume 2 Issue 3

Publisher: ACM Press

Full text available: [pdf\(1.31 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)


Keywords: UNIX, application program interface, file system design, file system organization, file system performance

9 IS '97: model curriculum and guidelines for undergraduate degree programs in information systems

Gordon B. Davis, John T. Gorgone, J. Daniel Couger, David L. Feinstein, Herbert E. Longenecker

December 1996 **ACM SIGMIS Database , Guidelines for undergraduate degree programs on Model curriculum and guidelines for undergraduate degree programs in information systems IS '97**, Volume 28 Issue 1

Publisher: ACM Press


Full text available:  [pdf\(7.24 MB\)](#) Additional Information: [full citation](#), [citations](#)

10 Cliché-based program editors

Richard C. Waters

January 1994 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 16 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(3.22 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)

Keywords: abstract syntax tree schemas, computer-aided software engineering (CASE), plan diagrams, reuse

11 Security and eliability: A feather-weight virtual machine for windows applications

Yang Yu, Fanglu Guo, Susanta Nanda, Lap-chung Lam, Tzi-cker Chiueh

June 2006 **Proceedings of the 2nd international conference on Virtual execution environments VEE '06**

Publisher: ACM Press

Full text available:  [pdf\(192.18 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Many fault-tolerant and intrusion-tolerant systems require the ability to execute unsafe programs in a realistic environment without leaving permanent damages. Virtual machine technology meets this requirement perfectly because it provides an execution environment that is both realistic and isolated. In this paper, we introduce an OS level virtual machine architecture for Windows applications called *Feather-weight Virtual Machine* (FVM), under which virtual machines share as many resources ...


Keywords: copy on write, mobile code security, namespace virtualization, system call interception, virtual machine

12 Reprint: MSIS 2006: model curriculum and guidelines for graduate degree programs in information systems

John T. Gorgone, Paul Gray, Edward A. Stohr, Joseph S. Valacich, Rolf T. Wigand

June 2006 **ACM SIGCSE Bulletin**, Volume 38 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(868.32 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

This article presents the MSIS 2006 Model Curriculum and Guidelines for Graduate Degree Programs in Information Systems. As with MSIS 2000 and its predecessors, the objective is to create a model for schools designing or revising an MS curriculum in Information Systems. The curriculum was designed by a joint committee of the Association for Information Systems and the Association for Computing Machinery. MSIS2006 is a major update of MSIS 2000. Features include increasing the number of required c ...

Keywords: MS career tracks, MS course outlines, MS curriculum

13 The taser intrusion recovery system

Ashvin Goel, Kenneth Po, Kamran Farhadi, Zheng Li, Eyal de Lara

October 2005 **ACM SIGOPS Operating Systems Review , Proceedings of the twentieth ACM symposium on Operating systems principles SOSP '05**, Volume 39 Issue 5**Publisher:** ACM PressFull text available: pdf(346.32 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Recovery from intrusions is typically a very time-consuming operation in current systems. At a time when the cost of human resources dominates the cost of computing resources, we argue that next generation systems should be built with automated intrusion recovery as a primary goal. In this paper, we describe the design of Taser, a system that helps in selectively recovering legitimate file-system data after an attack or local damage occurs. Taser reverts tainted, i.e. attack-dependent, file-syst ...

Keywords: file systems, intrusion analysis, intrusion recovery, snapshots14 An algebraic approach to file synchronization

Norman Ramsey, El'od Csirmaz

September 2001 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 8th European software engineering conference held jointly with 9th ACM SIGSOFT international symposium on Foundations of software engineering ESEC/FSE-9**, Volume 26 Issue 5**Publisher:** ACM PressFull text available: pdf(301.78 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A *file synchronizer* restores consistency after multiple replicas of a filesystem have been changed independently. We present an algebra for reasoning about operations on filesystems and show that it is sound and complete with respect to a simple model. The algebra enables us to specify a file-synchronization algorithm that can be combined with several different conflict-resolution policies. By contrast, previous work builds the conflict-resolution policy into the specification, or worse, ...

15 Curriculum recommendations for graduate professional programs in information systemsMay 1972 **Communications of the ACM**, Volume 15 Issue 5**Publisher:** ACM PressFull text available: pdf(4.00 MB) Additional Information: [full citation](#), [references](#), [citations](#)**Keywords:** education, information analysis, information systems development, management information systems, management systems, system design, systems analysis16 A caching file system for a programmer's workstation

Michael D. Schroeder, David K. Gifford, Roger M. Needham

December 1985 **ACM SIGOPS Operating Systems Review , Proceedings of the tenth ACM symposium on Operating systems principles SOSP '85**, Volume 19 Issue 5**Publisher:** ACM PressFull text available: pdf(768.75 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)17 Dynamic software updating

Michael Hicks, Scott Nettles

November 2005 **ACM Transactions on Programming Languages and Systems**

(TOPLAS), Volume 27 Issue 6**Publisher:** ACM PressFull text available: [pdf\(622.69 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Many important applications must run continuously and without interruption, and yet also must be changed to fix bugs or upgrade functionality. No prior general-purpose methodology for dynamic updating achieves a practical balance between flexibility, robustness, low overhead, ease of use, and low cost. We present an approach for C-like languages that provides type-safe dynamic updating of native code in an extremely flexible manner---code, data, and types may be updated, at programmer-determined ...

Keywords: Dynamic software updating, typed assembly language**18** The Cedar file system

David K. Gifford, Roger M. Needham, Michael D. Schroeder

March 1988 **Communications of the ACM**, Volume 31 Issue 3**Publisher:** ACM PressFull text available: [pdf\(1.26 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The Cedar File System (CFS) is a workstation file system that provides access to both a workstation's local disk and to remote file servers via a single hierarchical name space. CFS supports a group of cooperating programmers by allowing them to both manage local naming environments and to share consistent versions of collections of software.

19 Can programming be liberated from the von Neumann style?: a functional style and its algebra of programs

John Backus

August 1978 **Communications of the ACM**, Volume 21 Issue 8**Publisher:** ACM PressFull text available: [pdf\(3.03 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Conventional programming languages are growing ever more enormous, but not stronger. Inherent defects at the most basic level cause them to be both fat and weak: their primitive word-at-a-time style of programming inherited from their common ancestor---the von Neumann computer, their close coupling of semantics to state transitions, their division of programming into a world of expressions and a world of statements, their inability to effectively use powerful combining forms for buildin ...

Keywords: algebra of programs, applicative computing systems, applicative state transition systems, combining forms, functional forms, functional programming, metacomposition, models of computing systems, program correctness, program termination, program transformation, programming languages, von Neumann computers, von Neumann languages

20 A low-bandwidth network file system

Athicha Muthitacharoen, Benjie Chen, David Mazières

October 2001 **ACM SIGOPS Operating Systems Review , Proceedings of the eighteenth ACM symposium on Operating systems principles SOSP '01**, Volume 35 Issue 5**Publisher:** ACM PressFull text available: [pdf\(1.29 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Users rarely consider running network file systems over slow or wide-area networks, as the performance would be unacceptable and the bandwidth consumption too high. Nonetheless, efficient remote file access would often be desirable over such networks---particularly when high latency makes remote login sessions unresponsive. Rather than run

interactive programs such as editors remotely, users could run the programs locally and manipulate remote files through the file system. To do so, however, wo ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((program and file and create and name)<in>metadata)"

Your search matched 7 of 1408155 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer friendly

» Search Options

[View Session History](#)
[New Search](#)

» Other Resources

(Available For Purchase)

Top Book Results

[Virtual Reality Technology](#)
by Burdea, G. C.; Coiffet, P.;
Hardcover, Edition: 2
[Intellectual Property Law for Engineers and Scientists](#)
by Rockman, H. B.;
Hardcover, Edition: 1
[View All 2 Result\(s\)](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((program and file and create and name)<in>metadata)

Search >

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract
☐ view selected items

[Select All](#) [Deselect All](#)

- ☐ 1. Automatic processing of multimodality data for functional PET analysis
 Crabb, A.H.; Yun Zhou; Rousset, O.G.; Wong, D.F.;
[Nuclear Science Symposium Conference Record, 2002 IEEE](#)
 Volume 3, 10-16 Nov. 2002 Page(s):1797 - 1801 vol.3
 Digital Object Identifier 10.1109/NSSMIC.2002.1239671
[AbstractPlus](#) | Full Text: [PDF\(318 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. A parallel and fault tolerant file system based on NFS servers
 Garcia, F.; Calderon, A.; Carretero, J.; Perez, J.M.; Fernandez, J.;
[Parallel, Distributed and Network-Based Processing, 2003. Proceedings. Eleventh Euromicro Conference on](#)
 5-7 Feb. 2003 Page(s):83 - 90
 Digital Object Identifier 10.1109/EMPDP.2003.1183570
[AbstractPlus](#) | Full Text: [PDF\(362 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. NewsDepot: Integrating real time and file audio contributions
 Raven, K.L.;
[Broadcasting Convention, 1997. International](#)
 12-16 Sept. 1997 Page(s):188 - 191
[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) IEE CNF
- ☐ 4. Creating Epics Soft Channels the Easy Way with Sddspcas: Features and Applications
 Soliday, R.; Borland, M.;
[Particle Accelerator Conference, 2005. PAC 2005. Proceedings of the](#)
 16-20 May 2005 Page(s):3429 - 3431
[AbstractPlus](#) | Full Text: [PDF\(120 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. A dynamic switching activity generation technique for power analysis of electronic circuits
 Karunaratne, M.; Ranasinghe, C.; Sagahyroon, A.;
[Circuits and Systems, 2005. 48th Midwest Symposium on](#)
 7-10 Aug. 2005 Page(s):1884 - 1887 Vol. 2
 Digital Object Identifier 10.1109/MWSCAS.2005.1594492
[AbstractPlus](#) | Full Text: [PDF\(271 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 6. Managing system design requirements Information
 Estes, B.; Pritchard, D.;
[Security Technology, 2004. 38th Annual 2004 International Carnahan Conference on](#)
 11-14 Oct. 2004 Page(s):85 - 90

Digital Object Identifier 10.1109/CCST.2004.1405374

[AbstractPlus](#) | Full Text: [PDF](#)(686 KB) [IEEE CNF](#)

[Rights and Permissions](#)

7. **Data Interoperability via surrogate API libraries**

Nekovei, R.;

[Software Engineering for Parallel and Distributed Systems, 1999. Proceedings. International Symposium on](#)

17-18 May 1999 Page(s): 190 - 196

Digital Object Identifier 10.1109/PDSE.1999.779751

[AbstractPlus](#) | Full Text: [PDF](#)(56 KB) [IEEE CNF](#)

[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE - All Rights Reserve

Indexed by

